LED illuminated hand magnifiers

Light temperatures: **2700 K** **4500 K** **6500 K**

152562 **154562** **156562**
56 D / Ø 35 mm (opt. Ø 27.0 mm)

152482 **154482** **156482**
48 D / Ø 35 mm (opt. Ø 27.5 mm)

152392 **154392** **156392**
39 D / Ø 35 mm

152282 **154282** **156282**
28 D / Ø 35 mm

152242 **154242** **156242**
24 D / Ø 55 mm (opt. Ø 52.5 mm)

152202 **154202** **156202**
20 D / Ø 55 mm

152172 **154172** **156172**
16 D / Ø 35 mm

152162 **154162** **156162**
16 D / Ø 60 mm

152132 **154132** **156132**
12 D / Ø 35 mm

152122 **154122** **156122**
12 D / Ø 70 mm

ERGO-Lux i mobil

Suitable stand for this series coming soon!

ERGO-Lux i mobil – the lifestyle magnifier with inductive charging. In addition to 2 brightness levels and a choice of 3 light temperatures, the key advantage of this new magnifier lies in its wireless charging capability which eliminates the need to replace batteries.

- Power supply by induction – no battery replacement, no cable inserted into the magnifier
- Easy-to-feel boost switch provides audible feedback when operated and controls 2 brightness levels for optimised lighting
- High contrast, even spread of light thanks to ideal adjustment of light intensity
- Individually tested light temperatures improve reading performance
- Low energy consumption
- Ergonomic design and soft-touch zone for extra grip strength and pleasant feel
- 17 different lenses with 11 powers, 3 light temperatures
- Rectangular magnifier heads for left- and right-handed use
- Aspheric lightweight lenses
- Order any of these magnifiers as a complete set including charging pad, USB cable and USB power adapter by adding -1 to the item no. (e.g. 152122-1)

Box ERGO-Lux i mobil with 2 pads and USB adapters

150202 **150402** **150602**

Contents: 16 D Ø 60 mm, 10 D 75x50 mm right-handed, 8 D Ø 85 mm, 2x charging pad with USB cable and USB power adapter

Box 1 ERGO-Lux i mobil

150212 **150412** **150612**

Contents: 12 D Ø 35 mm, 10 D 75x50 mm right-handed,
8 D Ø 85 mm, 8 D 100x75 mm right-handed, 6 D Ø 100 mm

Box 2 ERGO-Lux i mobil

150222 **150422** **150622**

Contents: 28 D Ø 35 mm, 24 D Ø 55 mm, 20 D Ø 55 mm,
16 D Ø 35 mm, 16 D Ø 60 mm, 12 D Ø 70 mm

Box 3 ERGO-Lux i mobil

150232 **150432** **150632**

Contents: 56 D Ø 35 mm, 48 D Ø 35 mm, 39 D Ø 35 mm,
10 D 75x50 mm straight and left-handed, 8 D 100x75 mm left-handed

150002 **Charging pad**

Approx. 70 x 70 mm with 1.5 m USB cable

150012 **USB power adapter**

for ERGO-Lux i mobil charging pad

180902 **Pack of 5 lanyards**

180912 **Pack of 5 wrist straps**

Light temperatures: **2700 K** **4500 K** **6500 K**

152112 **154112** **156112**

10 D / 75x50 mm, straight

152102 **154102** **156102**

10 D / 75x50 mm, right-handed

152142 **154142** **156142**

10 D / 75x50 mm, left-handed

152092 **154092** **156092**

8 D / Ø 85 mm

152082 **154082** **156082**

8 D / 100x75 mm, right-handed

152072 **154072** **156072**

8 D / 100x75 mm, left-handed

152062 **154062** **156062**

6 D / Ø 100 mm

LED illuminated hand magnifiers

Light temperatures: **2700 K** | **4500 K** | **6500 K**

162562 | **164562** | **166562**
56 D / Ø 35 mm (opt. Ø 27.0 mm)

162482 | **164482** | **166482**
48 D / Ø 35 mm (opt. Ø 27.5 mm)

162392 | **164392** | **166392**
39 D / Ø 35 mm

162282 | **164282** | **166282**
28 D / Ø 35 mm

162242 | **164242** | **166242**
24 D / Ø 55 mm (opt. Ø 52.5 mm)

162202 | **164202** | **166202**
20 D / Ø 55 mm

162172 | **164172** | **166172**
16 D / Ø 35 mm

162162 | **164162** | **166162**
16 D / Ø 60 mm

162132 | **164132** | **166132**
12 D / Ø 35 mm

162122 | **164122** | **166122**
12 D / Ø 70 mm

ERGO-Lux MP mobil

Portable lifestyle magnifier with multi-chip SMD LED and **M**ulti-**P**ower light option.

Suitable stand for this series coming soon!

- Easy-to-feel boost switch provides audible feedback when operated and controls 2 brightness levels for optimised lighting
- High contrast, even spread of light thanks to ideal adjustment of light intensity
- Individually tested light temperatures improve reading performance
- Ergonomic design and soft-touch zone for extra grip strength and pleasant feel in timeless white/charcoal grey
- Low energy consumption and easy battery replacement thanks to simple closing mechanism in the handle which locks with a distinct click
- Convenient integrated lanyard loop
- Aspheric lightweight lenses
- Supplied with microfibre pouch
- 3 AAA alkaline batteries required

Carton display 5 ERGO-Lux MP mobil

162032 | **164032** | **166032**
Contents: 10 D 75x50 mm straight, 10 D 75x50 mm right-handed, 10 D 75x50 mm left-handed, 8 D 100x75 mm right-handed, 8 D 100x75 mm left-handed, 20 consumer flyers
Approx. size (WxHxD): 27.5x28.0x16.5 cm

162042 | **164042** | **166042**
Contents: 12 D Ø 35 mm, 10 D 75x50 mm right-handed, 8 D Ø 85 mm, 8 D 100x75 mm right-handed, 6 D Ø 100 mm, 20 consumer flyers,
Approx. size (WxHxD): 27.5x28.0x16.5 cm

Box 1 ERGO-Lux MP mobil

162012 **164012** **166012**

Contents: 12 D Ø 35 mm, 10 D 75x50 mm right-handed,
8 D Ø 85 mm, 8 D 100x75 mm right-handed, 6 D Ø 100 mm

Box 2 ERGO-Lux MP mobil

162022 **164022** **166022**

Contents: 28 D Ø 35 mm, 24 D Ø 55 mm, 20 D Ø 55 mm,
16 D Ø 35 mm, 16 D Ø 60 mm, 12 D Ø 70 mm

Box 3 ERGO-Lux MP mobil

162002 **164002** **166002**

Contents: 56 D Ø 35 mm, 48 D Ø 35 mm, 39 D Ø 35 mm,
10 D 75x50 mm straight and left-handed, 8 D 100x75 mm left-handed

180902 Pack of 5 lanyards

180912 Pack of 5 wrist straps

156002 Pack of 3 AAA alkaline batteries

Items can be ordered with or without the necessary batteries as per price list.

Light temperatures: **2700 K** **4500 K** **6500 K**

162112 **164112** **166112**
10 D / 75x50 mm, straight

162102 **164102** **166102**
10 D / 75x50 mm, right-handed

162142 **164142** **166142**
10 D / 75x50 mm, left-handed

162092 **164092** **166092**
8 D / Ø 85 mm

162082 **164082** **166082**
8 D / 100x75 mm, right-handed

162072 **164072** **166072**
8 D / 100x75 mm, left-handed

162062 **164062** **166062**
6 D / Ø 100 mm

2700 K | 4500 K | 6500 K Light temperatures

170242 | **171242** | **172242**
24 D / Ø 55 mm (opt. Ø 52.5 mm)

170202 | **171202** | **172202**
20 D / Ø 55 mm

170162 | **171162** | **172162**
16 D / Ø 60 mm

170122 | **171122** | **172122**
12 D / Ø 70 mm

170082 | **171082** | **172082**
8 D / 100 x 75 mm

LED illuminated hand magnifiers

ERGO-Lux MP

Lifestyle magnifier with multi-chip SMD LED and **M**ulti-**P**ower light option.

- Easy-to-feel boost switch provides audible feedback when operated and controls 2 brightness levels for optimised lighting
- High contrast, even spread of light thanks to ideal adjustment of light intensity
- Individually tested light temperatures improve reading performance
- Ergonomic design supports hand and arm for relaxed, stress-free position
- Correct distance between the object and the lens is found automatically when the handle end rests on the object
- Low energy consumption and long battery life – easy battery replacement thanks to hinged battery box cover
- Aspheric lightweight lens
- Supplied with microfibre pouch
- 3 AAA alkaline batteries required
- Order any of these magnifiers as a complete set including ERGO-Base by adding –SET to the item no. (e.g. 170162-SET)

Box ERGO-Lux MP

170062 | **171062** | **172062**
Contents: 24 D, 20 D, 16 D, 12 D, 8 D

156002 Pack of 3 AAA alkaline batteries

LED illuminated stand magnifiers

ERGO-Base & ERGO-Lux MP

The ERGO-Base fixed-focus holder converts the ERGO-Lux MP into the perfect illuminated stand magnifier.

- Patented magnetic design for easy connection without wear and tear
- Easy scrolling on the object
- Comfortable reading position thanks to tilt feature in the holder which locks into place for firm and stable hold
- Suitable for right and left-handed use of all round lenses
- Bright holder material colour enhances illumination provided by ERGO-Lux MP
- Portable through easy separation of magnifier and holder

For details about ERGO-Lux MP hand magnifiers, please refer to the previous page.

179102 Box ERGO-Base with all 5 fixed-focus holders

Items can be ordered with or without the necessary batteries as per price list.

174102 ERGO-Base for ERGO-Lux MP 24 D

175102 ERGO-Base for ERGO-Lux MP 20 D

176102 ERGO-Base for ERGO-Lux MP 16 D

177102 ERGO-Base for ERGO-Lux MP 12 D

178102 ERGO-Base for ERGO-Lux MP 8 D

Reading & writing stand

NEW

160562 ERGO mobil Base
suitable for 56 D / Ø 35 mm

160482 ERGO mobil Base
suitable for 48 D / Ø 35 mm

160392 ERGO mobil Base
suitable for 39 D / Ø 35 mm

160282 ERGO mobil Base
suitable for 28 D / Ø 35 mm

160242 ERGO mobil Base
suitable for 24 D / Ø 55 mm

160202 ERGO mobil Base
suitable for 20 D / Ø 55 mm

160162 ERGO mobil Base
suitable for 16 D / Ø 35 mm
and 16 D / Ø 60 mm

160122 ERGO mobil Base
suitable for 12 D / Ø 35 mm
and 12 D / Ø 70 mm

160102 ERGO mobil Base
suitable for 10 D / 75x50 mm,
straight, right-handed,
left-handed

160092 ERGO mobil Base
suitable for 8 D / Ø 85 mm

160082 ERGO mobil Base
suitable for 8 D / 100x75 mm,
right-handed, left-handed

160062 ERGO mobil Base
suitable for 6 D / Ø 100 mm

ERGO mobil Base

The ERGO mobil Base reading and writing stand converts any ERGO-Lux MP mobil or ERGO-Lux i mobil hand magnifier into a stand magnifier WITHOUT COMPROMISING image quality.

- Versatile design enables use in different positions – ideal for work where both hands are required
- Suitable for left and right-handed use
- Black matt, textured surface promotes stable grip
- For mobile use, simply remove the magnifier from the stand
- A total of 12 stands in individual heights are available for the different magnifier powers, ranging from 6 D to 56 D to provide exactly the right distance to the object viewed
- Suitable ERGO-Lux MP/ERGO-Lux i mobil magnifiers available separately

Easy-to-use stand for comfortable reading at exactly the right distance to the object viewed

ERGO mobil Base up to 24 D can also be used in an upright position, leaving both hands completely free for close-up work

56 D / Ø 35 mm

48 D / Ø 35 mm

39 D / Ø 35 mm

28 D / Ø 35 mm

16 D / Ø 35 mm

12 D / Ø 70 mm

12 D / Ø 35 mm

10 D/ 75x50 mm

24 D / Ø 55 mm

20 D / Ø 55 mm

16 D / Ø 60 mm

8 D / Ø 85 mm

8 D / 100x75 mm

6 D / Ø 100 mm

18-040/370198/00

SCHWEIZER